IN THE CLAIMS:

1. (Currently amended) An organic electroluminescent device material, capable of emitting blue light, comprising an aromatic amine derivative represented by any of the following formulas (I) and (II):



(I)



(II)

wherein each of A_1 to A_8 represents a hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 50 carbon atoms, a substituted or unsubstituted aryl group having 5 to 50 ring carbon atoms, a substituted or unsubstituted cycloalkyl group having 3 to 50 ring carbon atoms, a

substituted or unsubstituted alkoxyl group having 1 to 50 carbon atoms, a substituted or unsubstituted aryloxy group having 5 to 50 ring carbon atoms, a substituted or unsubstituted arylamino group having 5 to 50 ring carbon atoms, a substituted or unsubstituted alkylamino group having 1 to 20 carbon atoms, or a halogen atom; m1 is an integer of 0 to 5, m2 is an integer of 0 to 5, m3 is an integer of 0 to 5, m4 is an integer of 0 to 5, m5 is an integer of 0 to 5, m6 is an integer of 0 to 5, m7 is an integer of 0 to 5, m8 is an integer of 0 to 5, wherein at least one of m1, m2, m3, and m4 is 1 or greater, and at least one of m5, m6, m7, and m8 is 1 or greater, and wherein when any of m1, m2, m3, m4, m5, m6, m7, and m8 is 2 or greater, groups represented by any of A_1 to A_8 may be identical to or different from one another, or may be linked together to form a saturated or unsaturated ring; each pair of A_1 and A_2, A_3 and A_4, A_5 and A_6, and A_7 and A_8 is such that the members thereof may be linked together to form a saturated or unsaturated ring;

with the proviso that in formula (I), at least one of A_1 to A_4 does not represent a hydrogen atom, that in formula (II), at least one of A_5 to A_8 does not represent a hydrogen atom;

wherein each of R_1 to R_{20} represents a hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 20 carbon atoms, a substituted or unsubstituted aryl group having 6 to 20 ring carbon atoms, or a cyano group; [[and]]

wherein each of X_1 and X_2 represents a substituted or unsubstituted arylene group having 6 to 20 ring carbon atoms; and

wherein the aromatic amine derivative comprises at least one compound selected from the group consisting of compounds:



(1),



(2),



(3),



(5),



(6),



(7),



(8),



(9),



(10),



(11),



(12),



(14),



(15),



(16),



(17),



(18), and



(19).

2. (Original) An organic electroluminescent device material as described in claim 1, which is a light-emitting material for use in an organic electroluminescent device.

3. (Original) An organic electroluminescent device comprising a cathode, an anode, and one or more organic thin-film layers interposed between the cathode and the anode, the organic thin-layers including at least a light-emitting layer, wherein at least one of the organic thin-film layers contains the organic electroluminescent device material as recited in claim 1 in the form of single component material or a mixture of a plurality of components.

4. (Original) An organic electroluminescent device comprising a cathode, an anode, and one or more organic thin-film layers interposed between the cathode and the anode, the organic thin-layers including at least a light-emitting layer, wherein the light-emitting layer contains the organic electroluminescent device material as recited in claim 1 in an amount of 0.1 to 20 wt.%.

5. (Original) An organic electroluminescent device as described in claim 3, which further includes a layer containing an aromatic tertiary amine derivative and/or a phthalocyanine derivative, the layer being provided between the light-emitting layer and the anode.

6. (Original) An organic electroluminescent device as described in claim 4, which further includes a layer containing an aromatic tertiary amine derivative and/or a phthalocyanine derivative, the layer being provided between the light-emitting layer and the anode.

7. (Previously Presented) An organic electroluminescent device as described in claim 1, which emits blue light.

8. (Canceled)